

Limited Warranty

Renogy is a visionary technology leader on a mission to dramatically broaden the accessibility and adoption of innovative clean energy around the globe. Every day, we actively work to broaden people's ability to choose, purchase, utilize and enjoy the benefits of renewable, clean energy products.

You're completely covered with Renogy industry-leading products and worry-free warranty. Renogy customer service team is located both locally and global-wide and works tirelessly to ensure your energy solution is operating at its peak performance, and any problem you may have can be resolved in a timely manner.

We want you to be confident that you're purchasing and installing the right solar energy solution. As a sign of confidence in our quality, we are pleased to grant you the following warranties for our products.

- [Limited Warranty on Batteries and Power Stations](#)
- [Limited Warranty on Solar Panels and Solar Kits](#)
- [Limited Warranty on Charge Controller, Inverter, Battery Charger](#)
- [Limited Warranty on IOT Monitors and Accessories](#)

Part 1 Batteries and Power Stations

The products manufactured by Renogy (the "Warrantor") are warranted to be free from defects in workmanship and materials under normal use and service. The warranty is in effect from the date of purchase by the user (the "Purchaser"). This limited warranty covers substantial defects in material or workmanship and performance.

If any Renogy product(s) fail to follow this Limited Warranty and any and all power loss is determined by the Warrantor's technical support team then the Warrantor will either repair or replace the defective product(s) with a new or refurbished product(s). All replacements will be compatible with the original product(s) with an equal or even greater power rating (in some cases). If for any reason Renogy is unable to repair or replace the defective product(s) then a refund can occur.

1. Prorated Warranty

Prorated warranted products manufactured by Renogy (the "Warrantor") are warranted to be free from defects in workmanship and materials under normal use and service. The warranty is in effect from the date of purchase by the user (the "Purchaser"). This limited warranty covers substantial defects in material or workmanship and performance and follows the guidelines of the Limited Warranty with the addition of the following table detailing exchange costs for warranty replacements for prorated warranty items.

***Please Note:** Failure to properly install or operate the battery will void the warranty. Please refer to the product page on our website for detailed installation and operation instructions.

Time	Charge for Replacement
0-12 Months	No Charge



Time	Charge for Replacement
After 12 Months	$\text{Original Purchase Price} \times \left(1 - \frac{\text{Remaining Warranty Period (in Months)}}{\text{Total Warranty Period (in Months)}} \right)$

2. Material and Workmanship Warranty period for the following products after August 1st, 2015

<p><u>GEL Battery</u> RNG-BATT-GEL12-200; RNG-BATT-GEL12-100; RNG-BATT-GEL12-160; RNG-BATT-GEL6-260</p>	<p>3-year material and workmanship warranty</p>
<p><u>GEL Battery</u> RBT100GEL12; RBT200GEL12 RBT100GEL12B (The battery box is warranted separately for 1 year)</p>	<p>2-year material and workmanship warranty</p>
<p><u>AGM Battery</u> RNG-BATT-AGM12-100; RNG-BATT-AGM12-200; RNG-BATT-AGM6-260 RNG-BATT-AGM12-7; RNG-BATT-AGM12-9; RNG-BATT-AGM12-18 RBT100AGM12B (The battery box is warranted separately for 1 year)</p>	<p>2-year material and workmanship warranty</p>
<p><u>LFP Battery</u> RBT100LFP12S; RBT100LFP12SH; RBT50LFP48S; RBT12400LFPL-SHBT RBT12100LFP; RBT12200LFP; RBT12300LFPSH RBT24100LFPSH; RBT24200LFPSH; RBT4850LFPSH</p>	<p>5-year prorated material and workmanship warranty</p>
<p><u>LFP Battery</u> RNG-BATT-LFP-12-50; RNG-BATT-LFP-12-100; RNG-BATT-LFP-12-170 RBT100LFP12-BT; RBT200LFP12-BT RBT2425LFP; RBT2450LFP</p>	<p>3-year material and workmanship warranty</p>
<p><u>LFP Battery</u> RBT12100LFP-BT; RBT12200LFP-BT</p>	<p>7-year material and workmanship warranty</p>
<p><u>Battery Box</u> RBB2431; RBB400</p>	<p>1-year material and workmanship warranty</p>
<p><u>Portable Power Station</u> RNG-ELM-LYCAN RNG-CMP-T100; RNG-CMP-RPP RNG-ELM-PHOENIX; R300PHXE R100PHX; R200PHX; R300PH RPS2220AA; RPS3250AA; RPS5080AA-PCS</p>	<p>1-year material and workmanship warranty</p>



RPS100150AA-PCS	
Backup Power Box RPB48350A-48LFPA12S; RPB48500A-48LFPA1SS	3-year material and workmanship warranty

3. **Exclusions and Limitations for Batteries**

Without the involvement of the Warrantor in the system design and the express written authorization from the Warrantor, the battery is not intended for use as the primary or backup power source for life support systems or other medical equipment, or any use where battery failure could lead to injury to or loss of life or catastrophic property damage. Use in this manner is at Purchaser's own risk. To the extent permitted by law, Warrantor disclaims any and all liability arising out of any such use. Further, Warrantor reserves the right to refuse to service any battery used for these purposes and disclaims any and all liability arising out of Warrantor's refusal to service.

The warranty does not cover failures and damages that result from normal wear and tear, improper installation, operation, and storage, insufficient ventilation, inadequate maintenance, incorrect handling and transportation, unauthorized repair, modifications, conversions and additions, intentional or accidental misuse, abuse, and neglect, contamination with hazardous substances, radiation, and water (unless stated otherwise by the Warrantor to be waterproof), unusual electrical stress including power surges, uncontrolled voltages and currents, excessive or deficient energy supply, system harmonics, and lighting, exposure to extreme hot or cold temperatures, and force majeure including fires, floods, earthquakes, hurricanes, severe weather, wars, and acts of terrorism.

For further clarity, the warranty is void in the following cases.

The battery operates outside the temperature range as set forth in the user manual and/or datasheet.

The battery bank is configured with mixed makes and/or models, incorrect series and/or parallel

The battery terminals are not tightened to the specification as set forth in the user manual and/or datasheet.

The battery is charged with charging algorithms and/or charger settings that do not comply with the requirements as set forth in the user manual and/or datasheet.

The battery is not properly protected from inrush currents with circuit breakers, fuses, and/or disconnects.

The battery is directly connected to DC motors without appropriate safety protection, motor controllers, and motor voltage clamping systems.

The battery is left unattended for extended periods of time after depletion.





Find Your Energy Freedom™

The battery is not maintained or stored in accordance with the requirements as set forth in the user manual and/or datasheet.

The battery is subjected to excess vibration due to inadequate mounting.

The communication ports on the battery (if applicable) are damaged or altered.

The communication ports on the battery (if applicable) are not connected in accordance with the instructions as set forth in the user manual.

The battery is disassembled, altered, or repaired without express written authorization from the Warrantor.

In order to provide the warranty, Warrantor may require the ability to upgrade the battery firmware or provide data logged information. Any failure to install firmware upgrades when provided or to provide data logged information upon request will void the warranty.

If the Warrantor determines that the problem with the product(s) is not due to a manufacturing defect in the Warrantor's workmanship or materials, or otherwise does not qualify for warranty repair, then the Purchaser will be responsible for all costs incurred by the Warrantor necessary to repair, replace and transport the product(s). The Warrantor will not be responsible for expenses related to installation/removal, electrical system tests, loss of time or other expenses considered incidental damages.

Part 2 Solar Panels and Solar Kits

1. Material and Workmanship Warranty period for the following Solar Panels after Aug 1st, 2015:

*Excluding charge controller and wire defects.

Product SKU	Material and Workmanship Warranty
-------------	-----------------------------------



<p>RNG-240P; RNG-250D; RNG-250P; RNG-255D RNG-260D; RNG-260P;RNG-270D; RNG-270P; RNG-270P-S;RNG-280D RNG-300D; RNG-300P;RNG-310P RNG-320P; RNG-320D; RNG-320D-H RSP405D-BB-108; RSP405D-BB RSP450D-120; RSP450D-BK-120 RSP550D-144;RSP450DT-120;RSP550DT-144 RNG-100D; RNG-100D-S; RNG-100D-SS RNG-100D-R; RNG-100D-R-BK; RSP100D-BK; RNG-150D RNG-160D-SS;RNG-175D; RSP175D-SQ72 RNG-190D;RSP200D;RSP220DT;RSP115DT RNG-210D;RSP100DC;RSP250DCT;RSP320DT-BK;RSP130DCT</p>	<p>10-year material and workmanship warranty</p>
<p>RNG-10D; RNG-10D-SS RNG-20D; RNG-30D; RNG-30D-SS; RKIT30DST RNG-50D; RNG-50D-SS; RNG-50P RNG-80D-SS; RNG-100MB; RNG-100P; RNG-160P; RNG-50DB-H; RNG-100DB-H; RNG-160DB-H; RNG-175DB-H; RSP100DL-36; RSP200DB-72; RNG-50MB-ME; RNG-KIT-STCS60D RNG-KIT- STCS100D; RNG-KIT-STCS100D-NC; RNG-KIT-STCS100D-VOY20; RNG-KIT-STCS200D-VOY20; RSP200SC; RNG-KIT-STCS100MB; RNG-KIT-STCS100MB-NC RNG-KIT-STCS100MB-VOY20; RNG-KIT-STCS200MB; RNG-KIT-STCS200MB-NC; RNG-KIT-STCS200MB-VOY20; RSP200SCR100DAUR; RSP400LSC;RSP220LSC;RPP220LSC-VOY20;RSP150MCB-BB-T;RSP150MCB-BB-P</p>	<p>5-year material and workmanship warranty</p>
<p>RPP30EF-SE</p>	<p>1.5-year material and workmanship warranty</p>
<p>RPP100EF-SE;RPP200EF-SE</p>	<p>2-year material and workmanship warranty</p>
<p>RNG-30D-C; RNG-30D-R RNG-KIT-STCSLW-50MB-10CC; RNG-KIT-STCSLW-50MB-NC; RNG-KIT-STCSLW-100MB-10CC; RNG-KIT-STCSLW-100MB-NC; RSP80EF; RSP120EF; RSP220EF;RSP400SB</p>	<p>1-year material and workmanship warranty</p>



2. Performance Warranty period for the following Solar Panels after August 1st, 2015:

*Excluding charge controller and wire defects.

*The power output will be measured under Renogy standard measurement conditions.

Product SKU	Performance Warranty
RNG-10D; RNG-10D-SS; RNG-20D; RNG-30D; RNG-30D-SS RNG-30D-C; RNG-30D-R; RKIT30DST; RNG-50D RNG-50D-SS; RNG-80D-SS; RNG-100D; RNG-100D-S RNG-100D-SS; RNG-100D-R; RNG-100D-R-BK RSP100D-BK; RNG-100MB; RNG-150D; RNG-160D-SS RNG-175D; RSP175D-SQ72; RSP200D; RNG-250D RNG-255D; RNG-260D; RNG-270D; RNG-280D; RNG-300D; RNG-320D; RNG-320D-H; RSP405D-BB-108;RSP405D-BB RSP450D-120; RSP450D-BK-120-; RSP450DT120 RSP550DT-144 RNG-50P; RNG-100P; RNG-160P; RNG-240P; RNG-250P RNG-260P; RNG-270P; RNG-270P-S; RNG-300P; RNG-310P RNG-320P RNG-50MB-ME; RNG-KIT-STCS60D RNG-KIT-STCS100D; RNG-KIT-STCS100D-NC RNG-KIT-STCS100D-VOY20; RNG-KIT-STCS200D-VOY20;RSP200SC; RNG-KIT-STCS100MB; RNG-KIT-STCS100MB-NC RNG-KIT-STCS100MB-VOY20 RNG-KIT-STCS200MB;RNG-KIT-STCS200MB-NC RNG-KIT-STCS200MB-VOY20;R100DAUR;RSP100DC; RSP250DCT;RSP320DT-BK;RSP130DCT;RSP150MCB-BB-T;RSP150MCB-BB-P	5-year 95% output warranty 10-year 90% output warranty 25-year 80% output warranty
RSP400LSC;RSP220LSC;RPP220LSC-VOY20;	10-year 80% output warranty
RNG-50DB-H; RNG-100DB-H; RNG-160DB-H; RNG-175DB-H; RSP100DL-36; RSP200DB-72	5-year 90% output warranty

Part 3 Charge Controller, Inverter, Battery Charger

1. Material and Workmanship Warranty period for the following products after August 1st, 2015

Charge Controller RNG-CTRL-PWM10DB; RNG-CTRL-PWM20DB; RNG-CTRL-WND30; RNG-CTRL-WND30-LI; RNG-CTRL-VOY20; RNG-CTRL-VS-TS; RNG-CTRL-CMD20; RNG-CTRL-CMD40; RNG-CTRL-CMD60	1-year material and workmanship warranty
Charge Controller RNG-CTRL-WND10; RNG-CTRL-WNDPG10 RCC10VOYP; RCC20VOYP; RNG-CTRL-ADV30-LI; RCC20RVRE; RCC40RVRE; RNG-CTRL-RVR20; RNG-CTRL-RVR30; RNG-CTRL-RVR40;	2-year material and workmanship warranty



RNG-CTRL-RVRPG20; RNG-CTRL-RVRPG30; RNG-CTRL-RVRPG40; RNG-CTRL-RVRPG60; RNG-CTRL-RVR60; RNG-CTRL-RVR100; RCC10RVRB	
Charge Controller RCC60REGO	5-year material and workmanship warranty
Inverter RNG-INVT-500-12V; RNG-INVT-1000-12V; RNG-INVT-2000-12V; RNG-INVT-700-12V-P2; RNG-INVT-1000-12V-P2; RNG-INVT-2000-12V-P2; RNG-INVT-3000-12V-P2; R-INVT-PUH1-101235; R-INVT-PUH1-201235; R-INVT-PUH1-301235; R-INVT-PGH1-10111S; R-INVT-PGH1-20111S; RIV1210P2-10S; RIV1220P2-10S; RIV1210PU-126;RIV1220PU-126;RIV1230PU-126; RIV2410P2-23S;RIV2420P2-23S;RIV2430P2-23S;RIV2410P2-10S; RIV2420P2-10S;RIV2430P2-10S;RIV2410P2-12S;RIV2420P2-12S;RIV2430P2-12S;	1-year material and workmanship warranty
RIV1230PUH-126	2-year material and workmanship warranty
RIV1230P2-126	3-year material and workmanship warranty
RIV1230PG-126;RIV1220PU-235;RIV1220PU-245	5-year material and workmanship warranty
Inverter Charger RNG-INVT-1000-12V-C; R-INVT-PCL1-20123S; R-INVT-PCL1-20123S; R-INVT-PCL1-20111S; R-INVT-PCL1-30111S; RIV4835CSH1S	1-year material and workmanship warranty
RIV2430HCS-2SS;RIV4850HCS-10S;RIV2430PCS-10S;RIV4835PCS-1SS	1.5-year material and workmanship warranty
Inverter Charger RIV1230RCL-1SS; RIV4835PCS-1SS	2-year material and workmanship warranty
Inverter Charger RIV1230RCH-SPS RIV1230RCH-2SS	5-year material and workmanship warranty
Battery Charger RNG-BATT-ISO200; RNG-DCC1212-20; RNG-DCC1212-40; RNG-DCC1212-60; RNG-DCC1212-100	1-year material and workmanship warranty
Battery Charger RBC20A1P;RBC10A2P;RBC30D1S;RBC50D1S;RBC40D1U;RBC20D1U;	2-year material and workmanship warranty
RBC2125DS-21W	3-year material and workmanship warranty



Part 4 IOT Monitors and Accessories

<p>Monitoring & Management RNG-CTRL-BT-1; RCM-BT1; RCM-BT2; RCM-HUB; RNG-CTRL-DM-1; RNG-TRCRMTR-MT-1; RNG-TRCRMTR-MT-5; RNG-TRCRMTR-MT-50; RMS-RVRE; RMS-DCDC; RBM500; RMS-LFPS; RNG-INV-T-C-RC; RMS-PGH; RMS2SRL-W</p>	<p>1-year material and workmanship warranty</p>
<p>Smart Monitoring & Management RMS-LP4-G2; RSHGWSN-W02W</p>	<p>2-year material and workmanship warranty</p>
<p>Accessory RNG-CTRL-TS; RNG-VOY-TS; RTSCC; RTSDCC; RVSCC; RTSVOY; SOLAR CONNECTOR ASSEMBLY TOOL; RNG-TOOL-SD; RNG-TOOL-CR; RNG-TOOL-WS; RNG-TOOL-MM; RNG-TOOL-BOX; RNG-TOOL-V46; RSCB1.8M24; RSHPGZ01P; RSHMSZ03P; RSHDWZ03P; RSHSRZ02P; RCA1TP-L67; RCA02LB-67; RCA10LL-6767; RCA23LL-6767; RCA10LR-6745; RCA20LR-6745;</p>	<p>1-year material and workmanship warranty</p>
<p>Power Cable & Connector RNG-AK-10FT-10; RNG-AK-10FT-12; RNG-AK-20FT-10; RNG-AK-20FT-12; RNG-AK-30FT-10; RNG-AK-30FT-12; RNG-AK-40FT-10; RNG-AK-40FT-12; RNG-AK-9IN-12; RNG-BATTERYCB-12IN-4; RNG-BATTERYCB-14IN-4; RNG-BATTERYCB-16IN-4; RBCCB12IN1; REC1.5FT12PR; REC5FT10PR; REC5FT12PR; REC10FT10PR; REC10FT12PR; REC15FT10PR; REC15FT12PR; REC20FT10PR; REC20FT12PR; RNG-INVTCB-5FT-4; RIVCB2FT4; RIVCB3FT4; RNG-INVTCB-5FT-0000; RIVCB8FT1; RNG-TRAYCB-8FT-8; RNG-TRAYCB-8FT-10; RNG-TRAYCB- 8FT-12; RNG-TRAYCB-16FT-8; RNG-TRAYCB-16FT-10; RNG-TRAYCB-16FT-12; SOLAR CONNECTOR TO SAE ADAPTER 12 AWG CABLE PHOENIX SOLAR CONNECTOR TO 4.5MM DC ADAPTER RNG-PHOENIX-DC-DC; RNG-PHOENIX-CIG-DC;; RNG-LYCAN-RJ45; SOLAR CONNECTOR TO ANDERSON POWERPOLE ADAPTER CABLE RNG-LYCAN-XT90; RNG-CNCT-DC-BULB; RNG-LYCAN-ADS-ALGTR; RNG-LYCAN-CIG-ADS; RNG-ANLFUSECB;</p>	<p>1-year material and workmanship warranty</p>



<p>RNG-TRAYCBDR-8FT-4; RNG-TRAYCB-ALGTR; RNG-RV1530-12IN-12-BL; RNG-RV1550-12IN-10-BL; RNG-RV3015-12IN-12-BL; RNG-RV3050-12IN-10-BL; RNG-RV5030-12IN-10-BL; RBARA23FT4; RBARA7FT4; RBARA1FT4; RADEC15FT4; RADEC4.5FT4; SOLAR CONNECTORS FOR SOLAR PANELS MALE & FEMALE PAIR SOLAR Y BRANCH CONNECTORS MMF+FFM PAIR 3 TO 1 SOLAR BRANCH CONNECTORS MMMF+FFFM PAIR 4 TO 1 SOLAR BRANCH CONNECTORS MMMMF+FFFFM PAIR RPC0108MP-75; RPC0506PS-7512; RPC0506PR-75; RPC1006PR-75; RPC0540SR-35; RPC0140SR-35</p>	
<p>Protection Device RNG-CNCT-FUSE10; RNG-CNCT-FUSE15; RNG-CNCT-FUSE20; RNG-CNCT-FUSE30; RNG-ANL-FUSE20; RNG-ANL-FUSE30; RNG-ANL-FUSE40; RNG-ANL-FUSE60; RNG-ANL-FUSE100; RNG-SET-ANL20; RNG-SET-ANL30 ; RNG-SET-ANL40 ; RNG-SET-ANL60 ; RNG-SET-ANL100; SUNDCCB10MN1P; SUNDCCB16MN1P; SUNDCCB32MN1P; SUNDCCB50MN1P; SUNDCCB63MN1P; SUNDCCB160MC2P; RPD80NH00; RPD355NH2; RPD400NH2</p>	<p>1-year material and workmanship warranty</p>
<p>Electrical Enclosure RPVCOM5SMN7P; RDCCBBMN5PMC2P REC400RSCB-4P; REC400RBCB-3P</p>	<p>1-year material and workmanship warranty</p>
<p>Mount & Bracket RNG-MTS-ZB; RNG-MTS-ACB; RNG-MTS-CB; RNG-MTS-SP100; RNG-MTS-WM; RNG-MTS-MPM4; RNG-MTS-MPM5; R-MTS-MPM; RNG-MTS-STM; RNG-MTS-TM100; RNG-MTS-TMB;; RNG-MTS-CE; RNG-MTS-QMSC</p>	<p>1-year material and workmanship warranty</p>

General Conditions for Warranty Claims

For Workmanship and Material Warranty: If the Purchaser experiences any defects in materials and workmanship under normal application, such as defects and/or failures due to manufacturing or due to materials, it is their responsibility to contact the Warrantor’s technical support team. The technicians will offer steps and procedures to test the product(s), repair the product(s) or require the Purchaser to ship the product(s) to the technical support team if needed. Based on the outcome, the warranty service will then be in effect.



This warranty extends only to the original Purchaser. If gifted or resold the customer must go through the original Purchaser in order to claim warranty. Original order information is needed to claim warranty. If original order was shipped within the US, the Purchaser will be responsible for additional shipping costs out of the US. The Customer's sole and exclusive remedy and the entire liability of the Warrantor, its suppliers and affiliates for breach of the warranty is, either to replace the product(s) or component parts of the product(s) and in some cases refund the product(s) cost. This warranty does not cover labor. Products that have been serviced or replaced under their warranty period do not receive extended warranties. Instead, the serviced/replaced product(s) will abide to the original warranty period issued when first purchased. No employee, agent, dealer or any other person is authorized to give any warranties on behalf of the Warrantor, not expressly set forth in this limited warranty.

Exclusions and Limitations

The warranty does not cover failures and damages that result from normal wear and tear, improper installation, operation, and storage, insufficient ventilation, inadequate maintenance, incorrect handling and transportation, unauthorized repair, modifications, conversions and additions, intentional or accidental misuse, abuse, and neglect, contamination with hazardous substances, radiation, and water (unless stated otherwise by the Warrantor to be waterproof), unusual electrical stress including power surges, uncontrolled voltages and currents, excessive or deficient energy supply, system harmonics, and lighting, exposure to extreme hot or cold temperatures, and force majeure including fires, floods, earthquakes, hurricanes, severe weather, wars, and acts of terrorism. If the Warrantor determines that the problem with the product(s) is not due to a manufacturing defect in the Warrantor's workmanship or materials, or otherwise does not qualify for warranty repair, then the Purchaser will be responsible for all costs incurred by the Warrantor necessary to repair, replace and transport the product(s). The Warrantor will not be responsible for expenses related to installation/removal, electrical system tests, loss of time or other expenses considered incidental damages.

The warranty shall be asserted with the Warrantor in writing enclosing a copy of the invoice and a description of the defect/loss of performance within the warranty period. The Warrantor shall accept no returns of product(s) without the previous written request for this. The Warrantor will provide the Purchaser with an RMA number and the location to which the Purchaser must return the defective product(s) in an efficient time manner. Any product(s) returned for valid warranty service shall be shipped at the expense and risk of the Warrantor. The Purchaser must return the product(s) (or, if authorized by the Warrantor, the defective component parts), within **fifteen (15) days after issuance of the RMA number.**





Find Your Energy Freedom™

The Warrantor will be under no obligation to accept any returned product(s) that does not have a valid RMA number. All parts that the Warrantor replaces shall become the Warrantor's property on the date the Warrantor ships the repaired product(s) or part back to the Purchaser. The Warrantor will use all reasonable efforts within thirty (30) days of receipt of the defective product(s) to repair or replace such product(s). If a warranty claim is invalid for any reason, the Purchaser will be charged at the Warrantor's then-current rates for services performed and will be charged for all necessary repairs and expenses incurred by the Warrantor. If the Warrantor determines that a warranty claim is valid, it will ship the repaired or replaced product(s) to the Purchaser at the Warrantor's cost.

RENOGY MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF DEALING, CUSTOMER OR USAGE OF TRADE.

LIMITATION OF LIABILITY

UNDER NO CIRCUMSTANCES WILL RENOGY OR ITS AFFILIATES OR SUPPLIERS BE LIABLE OR RESPONSIBLE FOR ANY LOSS OF USE, INTERRUPTION OF BUSINESS, LOST PROFITS, LOST DATA, OR INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY KIND REGARDLESS OF THE FORM OF ACTION, WHETHER IN CONTRACT, TORT (INCLUDING NEGLIGENCE), STRICT LIABILITY OR OTHERWISE, EVEN IF RENOGY OR ITS AFFILIATE OR SUPPLIER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Some states do not allow the exclusion or limitation of incidental or consequential damages, so these limitations may not apply to you. Neither Renogy nor its affiliates or suppliers will be held liable or responsible for any damage or loss to any items or products connected to, powered by or otherwise attached to the Product. The total cumulative liability to the Purchaser, from all causes of action and all theories of liability, will be limited to and will not exceed the purchase price of the Product paid by the Purchaser. This warranty gives you specific legal rights and you may also have other legal rights that vary from state to state.





Find Your Energy Freedom™

Renogy loves to hear from and support our customers.

We have a dedicated Technical Team to help build the right Solar Solution for you. The related support information can be found below.



Hotline

1(909)2877111
Monday to Friday
8:30am to 3:00pm PST



Chat with Specialist

Monday to Friday
8:30am to 3:00pm PST



Submit a Case

Submit a Case at any time



Holiday Hours

Christmas Eve : Closed
Christmas : Closed
New Year's Eve: Closed
New Year's Day: Closed

Renogy, Find Your Energy Freedom

5050 S Archibald Ave,
Ontario, CA 91762
Phone: 909-287-7111
Fax: 888-543-11

